

Date of Study: 01Apr2024		01Apr2024 / Basic Condition / 17.5 MAF / Balanced Full Serv -0.5 kcfs 1st Half / Full Serv -3.7 kcfs 2nd Half / Nav End Date: Dec 01 Elevations & Storages are for Date Shown. Elevations in Local Project Datum (LPD) Avg Discharge & Energy are Monthly Values											
		2024										2025	
		31Mar	30Apr	31May	30Jun	31Jul	31Aug	30Sep	31Oct	30Nov	31Dec	31Jan	28Feb
Fort Peck													
Elev feet	2231.2	2231.5	2229.3	2227.8	2225.9	2224.9	2224.5	2224.7	2224.9	2224.4	2223.2	2222.1	
Disch kcfs	5.0	6.4	13.7	16.3	8.6	8.0	6.3	4.5	4.5	7.5	8.5	8.5	
Garrison													
Elev feet	1835.3	1834.8	1835.7	1838.1	1837.4	1835.7	1834.4	1833.7	1832.6	1831.3	1829.4	1827.7	
Disch kcfs	16.0	16.0	19.5	21.0	21.0	21.0	18.5	16.0	16.0	17.4	21.0	21.0	
Oahe													
Elev feet	1603.4	1600.8	1599.6	1598.8	1597.2	1595.2	1593.5	1593.1	1593.5	1594.3	1595.8	1597.3	
Disch kcfs	20.3	30.3	27.1	28.3	28.7	29.7	26.2	17.4	14.0	12.7	15.0	14.0	
Big Bend													
Elev feet	1421.1	1420.8	1420.4	1421.0	1420.6	1420.7	1420.9	1420.5	1420.7	1420.7	1420.5	1420.4	
Disch kcfs	20.0	30.5	27.4	27.8	28.7	29.3	25.7	17.5	13.8	12.5	15.2	14.0	
Fort Randall													
Elev feet	1352.9	1355.0	1355.3	1355.1	1355.1	1355.1	1353.3	1344.9	1337.4	1339.1	1344.9	1350.2	
Disch kcfs	19.2	28.8	28.8	30.5	28.4	29.2	28.3	27.3	21.4	11.0	10.0	8.3	
Gavins Point													
Elev feet	1206.7	1206.0	1206.0	1205.9	1206.0	1206.5	1207.5	1207.5	1207.5	1207.5	1207.5	1206.0	
Disch kcfs	20.8	31.2	32.2	33.8	30.6	30.3	29.8	29.4	24.0	12.5	12.5	12.5	
System													
Storage KAF	53971	53296	52825	53033	51998	50775	49740	48805	48227	48075	47993	48104	
Energy GWh	7913	831	911	926	893	898	782	652	531	477	541	470	
Ave Cap MW		2442	2437	2436	2431	2413	2398	2379	2344	2332	2346	2364	
		01Apr2024 / Lower Basic Condition / 13.1 MAF / Balanced Full Serv -0.5 kcfs 1st Half / Full Serv -5.3 kcfs 2nd Half / Nav End Date: Nov 29											
		2024										2025	
		31Mar	30Apr	31May	30Jun	31Jul	31Aug	30Sep	31Oct	30Nov	31Dec	31Jan	28Feb
Fort Peck													
Elev feet	2231.2	2230.7	2228.3	2226.8	2224.2	2222.2	2220.9	2220.5	2220.3	2219.4	2217.9	2216.6	
Disch kcfs	5.0	6.4	13.7	13.3	8.5	8.5	6.5	4.5	4.5	7.0	8.0	8.0	
Garrison													
Elev feet	1835.3	1834.2	1834.6	1835.8	1834.4	1832.5	1831.0	1830.1	1828.9	1827.4	1825.1	1823.2	
Disch kcfs	16.0	16.0	19.3	20.5	20.5	20.5	17.8	15.0	15.0	16.2	20.0	20.0	
Oahe													
Elev feet	1603.4	1600.2	1598.0	1595.9	1593.9	1591.7	1589.9	1589.5	1590.1	1590.6	1591.7	1592.8	
Disch kcfs	20.3	32.3	29.9	31.4	28.9	29.1	25.2	16.0	12.1	13.2	15.7	15.2	
Big Bend													
Elev feet	1421.1	1420.8	1420.4	1421.0	1420.6	1420.7	1420.9	1420.5	1420.7	1420.7	1420.5	1420.5	
Disch kcfs	20.0	32.5	30.2	30.8	28.9	28.7	24.7	16.1	11.8	13.0	16.0	15.2	
Fort Randall													
Elev feet	1352.9	1355.0	1355.3	1355.0	1355.1	1355.2	1353.3	1344.5	1337.4	1339.2	1344.9	1350.2	
Disch kcfs	19.2	30.1	30.6	32.3	28.3	28.3	27.2	26.3	18.9	11.4	10.7	9.2	
Gavins Point													
Elev feet	1206.7	1206.0	1206.1	1205.9	1206.0	1206.4	1207.5	1207.4	1207.6	1207.5	1207.5	1206.0	
Disch kcfs	20.8	31.2	32.2	33.8	29.1	28.7	28.2	27.8	21.0	12.5	12.5	12.5	
System													
Storage KAF	53971	52780	51842	51346	49904	48447	47225	46119	45478	45128	44855	44732	
Energy GWh	7777	860	949	946	875	868	744	607	471	462	529	466	
Ave Cap MW		2437	2424	2413	2401	2380	2363	2341	2304	2291	2300	2313	
		01Apr2024 / Upper Basic Condition / 22.4 MAF / Balanced Full Serv -0.5 kcfs 1st Half / Full Serv -0.7 kcfs 2nd Half / Nav End Date: Dec 01											
		2024										2025	
		31Mar	30Apr	31May	30Jun	31Jul	31Aug	30Sep	31Oct	30Nov	31Dec	31Jan	28Feb
Fort Peck													
Elev feet	2231.2	2232.7	2231.9	2232.6	2231.4	2230.6	2230.1	2230.1	2230.3	2230.3	2229.7	2229.3	
Disch kcfs	5.0	6.4	13.7	16.3	8.6	8.0	7.0	6.0	6.0	7.0	7.5	7.5	
Garrison													
Elev feet	1835.3	1835.8	1837.8	1841.5	1841.3	1839.9	1838.9	1838.6	1838.0	1837.1	1835.1	1833.4	
Disch kcfs	16.0	16.0	20.5	22.0	22.0	22.0	19.5	17.0	17.0	17.2	22.0	22.0	
Oahe													
Elev feet	1603.4	1601.6	1602.2	1603.1	1602.2	1600.3	1598.8	1598.4	1598.7	1599.7	1601.5	1603.5	
Disch kcfs	20.3	27.9	21.2	22.8	27.7	30.9	27.4	18.6	15.7	12.0	13.8	12.1	
Big Bend													
Elev feet	1421.1	1420.8	1420.4	1421.0	1420.6	1420.7	1420.9	1420.5	1420.7	1420.8	1420.5	1420.4	
Disch kcfs	20.0	28.1	21.5	22.2	27.7	30.5	26.9	18.7	15.5	11.8	14.0	12.1	
Fort Randall													
Elev feet	1352.9	1355.0	1355.3	1354.9	1355.2	1355.2	1353.3	1344.9	1337.4	1339.1	1344.9	1350.2	
Disch kcfs	19.2	27.2	24.0	26.3	27.4	30.7	29.6	28.6	23.0	10.4	9.0	6.9	
Gavins Point													
Elev feet	1206.7	1205.9	1206.0	1206.0	1206.1	1206.5	1207.5	1207.5	1207.5	1207.5	1207.4	1206.0	
Disch kcfs	20.8	31.2	29.4	31.1	30.9	32.5	31.9	31.3	26.5	12.5	12.5	12.5	
System													
Storage KAF	53971	54076	54707	56280	55712	54569	53599	52769	52280	52353	52458	52810	
Energy GWh	7911	794	816	848	899	952	837	712	597	469	535	453	
Ave Cap MW		2449	2459	2472	2473	2460	2449	2432	2398	2392	2409	2430	

Date of Study: 01Apr2024	01Apr2024 / Basic Condition / 17.5 MAF / Balanced											
	Values in 1000 acre-ft Except as Indicated. Elevations in Local Project Datum (LPD) F-Sum: Sum of Forecasted Values. *: Previous Month's Data											
	2024	30Apr	31May	30Jun	31Jul	31Aug	30Sep	31Oct	30Nov	31Dec	2025	
	*31Mar										31Jan	28Feb
	F-Sum											
Fort Peck												
Reach Inflow	4393	470	720	1050	240	190	250	340	380	330	196	227
Depletion	158	35	302	376	36	-188	-125	-42	-7	-74	-102	-53
Reg Inflow	4235	435	418	674	204	378	375	382	387	404	298	280
Evap	396	-6	3	1	43	77	90	67	66	46	6	3
Release	5589	380	843	972	528	492	374	277	268	461	523	472
Stor Change	-1751	61	-428	-299	-367	-191	-89	39	54	-103	-231	-196
Storage	*14202	14263	13834	13535	13168	12977	12888	12927	12981	12878	12647	12451
Elev feet	*2231.2	2231.5	2229.3	2227.8	2225.9	2224.9	2224.5	2224.7	2224.9	2224.4	2223.2	2222.1
Disch kcfs	*5.0	6.4	13.7	16.3	8.6	8.0	6.3	4.5	4.5	7.5	8.5	8.5
Ave Power MW		72	151	160	95	88	69	50	50	82	92	92
Ave Cap MW		216	214	212	210	208	207	207	207	207	206	204
Energy GWh	729.1	52.0	112.3	115.2	70.6	65.3	49.6	36.9	35.7	61.0	68.8	61.7
Garrison												
Reach Inflow	5705	470	850	1600	700	340	350	450	350	250	146	199
Depletion	415	4	202	588	237	-52	-79	-153	-133	-87	-70	-44
Reg Inflow	10852	778	1493	1949	1067	884	832	880	751	773	730	715
Evap	466	-11	-2	-31	14	94	119	116	101	68	-2	0
Release	12547	952	1202	1250	1291	1291	1101	984	952	1067	1291	1166
Stor Change	-2162	-163	294	730	-238	-501	-388	-220	-303	-362	-559	-452
Storage	*17078	16916	17210	17939	17702	17200	16812	16592	16290	15928	15369	14917
Elev feet	*1835.3	1834.8	1835.7	1838.1	1837.4	1835.7	1834.4	1833.7	1832.6	1831.3	1829.4	1827.7
Disch kcfs	*16.0	16.0	19.5	21.0	21.0	21.0	18.5	16.0	16.0	17.4	21.0	21.0
Ave Power MW		202	246	266	267	265	232	201	200	215	256	253
Ave Cap MW		556	558	564	568	563	556	552	548	543	535	527
Energy GWh	1896.6	145.2	182.9	191.3	198.9	197.4	167.4	149.3	143.7	159.8	190.5	170.2
Oahe												
Reach Inflow	1002	130	150	220	120	80	110	70	70	15	4	33
Depletion	125	17	25	38	50	20	0	-10	-7	-6	-4	2
Reg Inflow	13406	1065	1309	1432	1361	1352	1228	1064	1029	1074	1296	1197
Evap	405	-11	-14	-26	13	72	106	96	86	72	7	4
Release	14695	1804	1667	1685	1762	1827	1561	1069	835	783	921	780
Stor Change	-1694	-728	-344	-227	-414	-547	-438	-102	108	219	367	414
Storage	*17431	16703	16359	16132	15718	15170	14732	14630	14738	14956	15324	15737
Elev feet	*1603.4	1600.8	1599.6	1598.8	1597.2	1595.2	1593.5	1593.1	1593.5	1594.3	1595.8	1597.3
Disch kcfs	*20.3	30.3	27.1	28.3	28.7	29.7	26.2	17.4	14.0	12.7	15.0	14.0
Ave Power MW		375	332	344	345	353	308	204	165	151	179	170
Ave Cap MW		680	672	667	661	652	643	636	636	640	646	654
Energy GWh	2137.7	270.0	247.4	248.0	256.9	262.3	221.9	152.0	119.0	112.6	133.3	114.3
Big Bend												
Reg Inflow	14698	1803	1667	1686	1761	1827	1564	1071	840	780	921	779
Evap	105	3	3	3	19	24	21	15	10	5	1	0
Release	14628	1816	1683	1651	1763	1801	1529	1076	821	771	937	780
Storage	*1693	1677	1657	1689	1667	1670	1683	1662	1670	1675	1658	1657
Elev feet	*1421.1	1420.8	1420.4	1421.0	1420.6	1420.7	1420.9	1420.5	1420.7	1420.7	1420.5	1420.4
Disch kcfs	*20.0	30.5	27.4	27.8	28.7	29.3	25.7	17.5	13.8	12.5	15.2	14.0
Ave Power MW		137	123	125	129	131	116	80	63	58	70	65
Ave Cap MW		484	486	486	485	484	488	495	498	499	497	498
Energy GWh	801.0	98.4	91.7	89.9	95.9	97.8	83.5	59.6	45.7	42.9	52.1	43.4
Fort Randall												
Reach Inflow	621	80	120	150	60	50	40	2	-0	15	38	67
Depletion	117	-0	6	24	50	32	12	-2	-2	-2	-1	-1
Reg Inflow	15133	1889	1796	1787	1762	1826	1558	1081	837	775	975	845
Evap	116	-7	-2	-1	13	27	34	30	14	5	1	1
Release	15229	1713	1772	1813	1745	1795	1682	1682	1271	679	615	463
Stor Change	-212	183	26	-24	4	4	-157	-630	-448	91	358	381
Storage	*3228	3410	3437	3412	3416	3420	3263	2633	2185	2276	2634	3015
Elev feet	*1352.9	1355.0	1355.3	1355.1	1355.1	1355.1	1353.3	1344.9	1337.4	1339.1	1344.9	1350.2
Disch kcfs	*19.2	28.8	28.8	30.5	28.4	29.2	28.3	27.3	21.4	11.0	10.0	8.3
Ave Power MW		254	255	269	251	258	249	232	169	87	82	71
Ave Cap MW		381	381	381	381	381	379	362	328	316	335	355
Energy GWh	1591.2	183.0	189.5	193.6	186.7	191.8	179.1	172.5	121.6	64.5	60.8	48.0
Gavins Point												
Reach Inflow	1722	140	220	220	210	120	120	130	120	100	148	194
Depletion	166	6	5	27	66	37	3	3	9	11	1	-1
Reg Inflow	16851	1843	1982	2010	1889	1879	1803	1813	1433	770	768	660
Evap	32	1	2	1	6	5	6	6	4	2	0	0
Release	16836	1860	1980	2011	1882	1863	1773	1808	1428	769	769	694
Stor Change	-17	-17	1	-2	1	11	24	-0	1	-1	-0	-35
Storage	*344	327	328	326	327	338	362	361	363	362	361	327
Elev feet	*1206.7	1206.0	1206.0	1205.9	1206.0	1206.5	1207.5	1207.5	1207.5	1207.5	1207.5	1206.0
Disch kcfs	*20.8	31.2	32.2	33.8	30.6	30.3	29.8	29.4	24.0	12.5	12.5	12.5
Ave Power MW		115	117	122	112	112	111	111	91	48	48	48
Ave Cap MW		125	125	125	125	125	127	127	127	127	127	126
Energy GWh	756.9	82.5	87.3	88.0	83.6	83.0	80.2	82.3	65.5	35.9	35.9	32.5
Sioux City												
Reach Inflow	1110	60	150	180	150	120	110	100	90	70	29	51
Depletion	281	5	18	53	129	80	11	-6	-4	-2	-1	-1
Reg Flow	17703	1911	2111	2135	1910	1904	1874	1914	1559	841	799	746
Reg Flow kcfs		32.1	34.3	35.9	31.1	31.0	31.5	31.1	26.2	13.7	13.0	13.4
Total												
Reach Inflow	14553	1350	2210	3420	1480	900	980	1092	1010	780	560	771
Depletion	1262	67	558	1106	568	-71	-178	-210	-144	-159	-178	-96
Evap	1521	-31	-11	-52	108	300	375	330	281	198	14	10
Storage	*53971	53296	52825	53033	51998	50775	49740	48805	48227	48075	47993	48104
Ave Power MW		1154	1225	1286	1200	1207	1086	877	738	641	728	700
Ave Cap MW		2442	2437	2436	2431	2413	2398	2379	2344	2332	2346	2364
Energy GWh	7912.5	831.2	911.2	925.9	892.7	897.7	781.6	652.5	531.3	476.8	541.5	470.1
Daily GWh		27.7	29.4	30.9	28.8	29.0	26.1	21.0	17.7	15.4	17.5	16.8

Date of Study: 01Apr2024	01Apr2024 / Lower Basic Condition / 13.1 MAF / Balanced Values in 1000 acre-ft Except as Indicated. Elevations in Local Project Datum (LPD) F-Sum: Sum of Forecasted Values. *: Previous Month's Data											
	2024 *31Mar F-Sum	30Apr	31May	30Jun	31Jul	31Aug	30Sep	31Oct	30Nov	31Dec	2025 31Jan	28Feb
Fort Peck												
Reach Inflow	3135	305	504	683	156	133	188	272	304	264	157	170
Depletion	138	32	122	201	85	-95	-61	2	10	-49	-75	-32
Reg Inflow	2997	274	382	482	71	228	249	270	294	313	231	203
Evap	384	-6	3	1	42	76	87	64	63	44	6	3
Release	5358	381	843	790	523	523	387	277	268	430	492	444
Stor Change	-2744	-102	-464	-309	-494	-370	-225	-72	-37	-161	-266	-245
Storage	*14202	14100	13635	13326	12833	12463	12238	12166	12129	11968	11702	11457
Elev feet	*2231.2	2230.7	2228.3	2226.8	2224.2	2222.2	2220.9	2220.5	2220.3	2219.4	2217.9	2216.6
Disch kcfs	*5.0	6.4	13.7	13.3	8.5	8.5	6.5	4.5	4.5	7.0	8.0	8.0
Ave Power MW		72	150	140	93	92	70	48	48	75	85	84
Ave Cap MW		215	213	211	208	205	203	202	202	201	199	197
Energy GWh	698.3	52.1	111.8	100.5	69.4	68.5	50.4	36.1	34.9	55.5	62.9	56.3
Garrison												
Reach Inflow	4002	305	595	1040	455	238	263	360	280	200	117	149
Depletion	166	10	135	318	120	-48	-59	-126	-100	-45	-28	-10
Reg Inflow	9170	609	1306	1549	857	809	742	763	647	655	628	604
Evap	447	-11	-2	-30	13	90	115	111	97	65	-2	0
Release	12089	952	1186	1220	1260	1260	1056	922	893	999	1230	1111
Stor Change	-3366	-332	122	359	-416	-542	-429	-270	-343	-409	-600	-507
Storage	*17078	16747	16869	17228	16812	16270	15841	15571	15228	14820	14219	13712
Elev feet	*1835.3	1834.2	1834.6	1835.8	1834.4	1832.5	1831.0	1830.1	1828.9	1827.4	1825.1	1823.2
Disch kcfs	*16.0	16.0	19.3	20.5	20.5	20.5	17.8	15.0	15.0	16.2	20.0	20.0
Ave Power MW		201	241	257	257	254	219	184	183	196	237	234
Ave Cap MW		555	554	557	556	549	542	536	531	525	516	506
Energy GWh	1795.0	144.7	179.3	184.8	190.9	189.2	157.4	137.1	131.8	146.0	176.6	157.3
Oahe												
Reach Inflow	595	65	75	110	66	52	83	52	53	11	3	25
Depletion	125	17	25	38	50	20	0	-10	-7	-6	-4	2
Reg Inflow	12544	1000	1220	1292	1276	1293	1158	985	952	1006	1229	1134
Evap	389	-11	-14	-25	13	69	102	93	83	69	7	4
Release	15025	1920	1840	1868	1776	1792	1502	981	721	811	966	847
Stor Change	-2870	-910	-605	-551	-512	-568	-446	-89	148	125	256	283
Storage	*17431	16522	15916	15365	14852	14284	13838	13749	13897	14022	14279	14561
Elev feet	*1603.4	1600.2	1598.0	1595.9	1593.9	1591.7	1589.9	1589.5	1590.1	1590.6	1591.7	1592.8
Disch kcfs	*20.3	32.3	29.9	31.4	28.9	29.1	25.2	16.0	12.1	13.2	15.7	15.2
Ave Power MW		397	362	373	339	336	287	181	138	152	181	178
Ave Cap MW		679	666	655	645	634	625	618	618	622	626	632
Energy GWh	2133.8	285.5	269.2	268.6	252.1	249.6	206.7	135.0	99.6	112.9	134.9	119.6
Big Bend												
Reg Inflow	15027	1918	1839	1870	1775	1793	1506	982	724	809	965	846
Evap	105	3	3	3	19	24	21	15	10	5	1	0
Release	14957	1932	1855	1835	1778	1766	1472	988	703	801	981	847
Storage	*1693	1675	1657	1689	1667	1670	1682	1661	1672	1675	1659	1658
Elev feet	*1421.1	1420.8	1420.4	1421.0	1420.6	1420.7	1420.9	1420.5	1420.7	1420.7	1420.5	1420.5
Disch kcfs	*20.0	32.5	30.2	30.8	28.9	28.7	24.7	16.1	11.8	13.0	16.0	15.2
Ave Power MW		145	135	138	130	129	112	74	55	60	73	70
Ave Cap MW		483	484	484	485	485	489	496	500	499	496	497
Energy GWh	817.9	104.4	100.7	99.5	96.7	96.0	80.5	54.8	39.3	44.7	54.5	47.1
Fort Randall												
Reach Inflow	361	40	60	75	33	33	30	1	-0	11	28	50
Depletion	117	-0	6	24	50	32	12	-2	-2	-2	-1	-1
Reg Inflow	15201	1962	1908	1896	1752	1774	1492	992	718	803	1009	896
Evap	116	-7	-2	-1	13	27	34	30	14	6	1	1
Release	15298	1788	1883	1921	1737	1737	1618	1615	1128	704	655	513
Stor Change	-212	181	27	-24	2	9	-159	-652	-424	94	352	382
Storage	*3228	3409	3436	3412	3413	3423	3264	2611	2188	2281	2634	3016
Elev feet	*1352.9	1355.0	1355.3	1355.0	1355.1	1355.2	1353.3	1344.5	1337.4	1339.2	1344.9	1350.2
Disch kcfs	*19.2	30.1	30.6	32.3	28.3	28.3	27.2	26.3	18.9	11.4	10.7	9.2
Ave Power MW		265	270	284	250	250	239	223	150	90	87	79
Ave Cap MW		381	381	381	381	381	379	361	326	317	335	355
Energy GWh	1599.0	190.8	201.0	204.7	185.9	185.9	172.4	165.6	107.9	66.9	64.6	53.1
Gavins Point												
Reach Inflow	1093	70	110	110	115	78	90	97	90	75	111	146
Depletion	166	6	5	27	66	37	3	3	9	11	1	-1
Reg Inflow	16287	1844	1983	2010	1793	1780	1708	1714	1258	767	769	660
Evap	32	1	2	1	6	5	6	6	4	2	0	0
Release	16271	1860	1980	2011	1787	1765	1678	1709	1251	768	769	694
Stor Change	-16	-17	1	-3	1	10	25	-1	3	-3	0	-34
Storage	*344	327	329	326	327	337	362	361	364	362	362	328
Elev feet	*1206.7	1206.0	1206.1	1205.9	1206.0	1206.4	1207.5	1207.4	1207.6	1207.5	1207.5	1206.0
Disch kcfs	*20.8	31.2	32.2	33.8	29.1	28.7	28.2	27.8	21.0	12.5	12.5	12.5
Ave Power MW		115	117	122	107	106	106	105	80	48	48	48
Ave Cap MW		125	125	125	125	125	127	127	127	127	127	126
Energy GWh	732.9	82.4	87.3	88.0	79.9	79.1	76.2	78.1	57.6	35.9	35.9	32.5
Sioux City												
Reach Inflow	693	30	75	90	83	78	83	75	68	52	22	38
Depletion	281	5	18	53	129	80	11	-6	-4	-2	-1	-1
Reg Flow	16721	1881	2036	2045	1751	1763	1751	1791	1364	814	791	733
Reg Flow kcfs		31.6	33.1	34.4	28.5	28.7	29.4	29.1	22.9	13.2	12.9	13.2
Total												
Reach Inflow	9879	816	1419	2107	908	611	735	858	794	614	437	579
Depletion	994	70	311	660	499	25	-95	-139	-93	-94	-108	-42
Evap	1473	-30	-11	-51	106	292	364	319	271	190	13	9
Storage	*53971	52780	51842	51346	49904	48447	47225	46119	45478	45128	44855	44732
Ave Power MW		1194	1276	1314	1176	1167	1033	815	654	621	712	693
Ave Cap MW		2437	2424	2413	2401	2380	2363	2341	2304	2291	2300	2313
Energy GWh	7776.8	859.9	949.3	946.1	874.8	868.2	743.6	606.7	471.0	461.8	529.5	465.8
Daily GWh		28.7	30.6	31.5	28.2	28.0	24.8	19.6	15.7	14.9	17.1	16.6

Date of Study: 01Apr2024		01Apr2024 / Upper Basic Condition / 22.4 MAF / Balanced Values in 1000 acre-ft Except as Indicated. Elevations in Local Project Datum (LPD) F-Sum: Sum of Forecasted Values. *: Previous Month's Data										
	2024 *31Mar F-Sum	30Apr	31May	30Jun	31Jul	31Aug	30Sep	31Oct	30Nov	31Dec	2025 31Jan	28Feb
Fort Peck												
Reach Inflow	5838	682	972	1523	348	247	300	408	456	396	235	272
Depletion	129	-8	281	410	26	-172	-109	-31	-14	-89	-106	-60
Reg Inflow	5709	689	691	1112	322	419	408	439	470	485	340	332
Evap	425	-6	3	1	46	83	96	71	70	49	7	3
Release	5669	381	843	972	528	492	418	369	357	430	461	417
Stor Change	-385	314	-155	139	-251	-156	-106	-2	43	6	-127	-88
Storage	*14202	14515	14360	14499	14248	14091	13985	13984	14026	14032	13905	13817
Elev feet	*2231.2	2232.7	2231.9	2232.6	2231.4	2230.6	2230.1	2230.1	2230.3	2230.3	2229.7	2229.3
Disch kcfs	*5.0	6.4	13.7	16.3	8.6	8.0	7.0	6.0	6.0	7.0	7.5	7.5
Ave Power MW		73	152	163	97	90	79	68	68	79	84	84
Ave Cap MW		216	216	217	216	215	214	214	214	214	214	213
Energy GWh	757.3	52.4	113.4	117.5	72.5	67.3	57.1	50.4	48.8	58.7	62.8	56.6
Garrison												
Reach Inflow	7700	682	1148	2320	1015	442	420	540	420	300	175	239
Depletion	329	-99	115	804	320	-59	-106	-181	-161	-125	-110	-69
Reg Inflow	13021	1094	1879	2453	1300	993	961	1089	938	847	741	725
Evap	500	-11	-3	-32	14	100	127	124	109	73	-2	0
Release	13077	952	1263	1309	1353	1353	1160	1045	1012	1055	1353	1222
Stor Change	-557	154	618	1176	-67	-460	-326	-80	-182	-282	-610	-497
Storage	*17078	17232	17850	19026	18959	18498	18172	18092	17910	17629	17019	16522
Elev feet	*1835.3	1835.8	1837.8	1841.5	1841.3	1839.9	1838.9	1838.6	1838.0	1837.1	1835.1	1833.4
Disch kcfs	*16.0	16.0	20.5	22.0	22.0	22.0	19.5	17.0	17.0	17.2	22.0	22.0
Ave Power MW		202	260	281	284	283	250	218	217	219	276	274
Ave Cap MW		558	565	574	580	578	574	571	570	567	561	553
Energy GWh	2013.9	145.3	193.3	202.6	211.5	210.5	179.9	162.1	156.5	162.7	205.6	183.8
Oahe												
Reach Inflow	1439	201	232	319	168	108	149	94	94	20	6	47
Depletion	125	17	25	38	50	20	0	-10	-7	-6	-4	2
Reg Inflow	14369	1136	1450	1590	1471	1441	1326	1150	1113	1072	1354	1266
Evap	441	-11	-15	-27	14	77	114	104	93	78	8	5
Release	13890	1659	1306	1358	1706	1901	1628	1142	934	737	846	672
Stor Change	38	-512	158	260	-249	-538	-417	-97	86	258	500	589
Storage	*17431	16919	17077	17337	17088	16550	16133	16036	16122	16380	16880	17469
Elev feet	*1603.4	1601.6	1602.2	1603.1	1602.2	1600.3	1598.8	1598.4	1598.7	1599.7	1601.5	1603.5
Disch kcfs	*20.3	27.9	21.2	22.8	27.7	30.9	27.4	18.6	15.7	12.0	13.8	12.1
Ave Power MW		346	265	285	345	380	333	227	192	148	171	153
Ave Cap MW		682	680	684	684	677	669	664	663	667	674	684
Energy GWh	2078.2	249.0	196.9	205.5	257.0	282.6	240.1	168.7	138.0	110.1	127.5	103.0
Big Bend												
Reg Inflow	13894	1660	1306	1359	1701	1902	1631	1143	940	733	846	672
Evap	105	3	3	3	19	24	21	15	10	5	1	0
Release	13825	1672	1323	1324	1706	1873	1598	1149	920	724	862	673
Storage	*1693	1678	1658	1690	1666	1670	1682	1661	1671	1675	1659	1657
Elev feet	*1421.1	1420.8	1420.4	1421.0	1420.6	1420.7	1420.9	1420.5	1420.7	1420.8	1420.5	1420.4
Disch kcfs	*20.0	28.1	21.5	22.2	27.7	30.5	26.9	18.7	15.5	11.8	14.0	12.1
Ave Power MW		126	98	101	125	136	121	85	71	54	65	56
Ave Cap MW		486	491	491	486	483	487	494	497	500	498	500
Energy GWh	758.5	90.9	72.8	72.7	92.9	101.5	87.1	63.5	51.1	40.4	48.0	37.6
Fort Randall												
Reach Inflow	901	124	186	217	84	67	54	3	-1	20	53	93
Depletion	117	-0	6	24	50	32	12	-2	-2	-2	-1	-1
Reg Inflow	14612	1793	1502	1528	1723	1916	1641	1154	938	734	915	767
Evap	116	-7	-2	-1	13	27	34	30	14	5	1	1
Release	14707	1620	1476	1564	1688	1889	1764	1756	1370	642	555	383
Stor Change	-211	179	28	-35	22	-1	-157	-631	-445	87	359	383
Storage	*3228	3407	3435	3400	3422	3422	3265	2634	2189	2275	2634	3017
Elev feet	*1352.9	1355.0	1355.3	1354.9	1355.2	1355.2	1353.3	1344.9	1337.4	1339.1	1344.9	1350.2
Disch kcfs	*19.2	27.2	24.0	26.3	27.4	30.7	29.6	28.6	23.0	10.4	9.0	6.9
Ave Power MW		241	213	233	243	271	260	242	181	82	74	59
Ave Cap MW		381	381	381	381	381	379	362	328	316	335	355
Energy GWh	1535.9	173.4	158.7	167.7	180.7	201.6	187.6	179.8	130.6	61.1	54.9	39.7
Gavins Point												
Reach Inflow	2446	217	341	319	294	162	162	176	162	135	207	272
Depletion	166	6	5	27	66	37	3	3	9	11	1	-1
Reg Inflow	17062	1842	1809	1852	1907	2012	1928	1931	1582	770	768	662
Evap	32	1	2	1	6	5	6	6	4	2	0	0
Release	17045	1860	1805	1851	1900	1998	1898	1925	1578	769	769	694
Stor Change	-16	-19	2	0	1	9	24	1	0	-1	-1	-33
Storage	*344	325	327	328	329	338	362	362	362	362	361	328
Elev feet	*1206.7	1205.9	1206.0	1206.0	1206.1	1206.5	1207.5	1207.5	1207.5	1207.5	1207.4	1206.0
Disch kcfs	*20.8	31.2	29.4	31.1	30.9	32.5	31.9	31.3	26.5	12.5	12.5	12.5
Ave Power MW		115	108	114	113	118	119	117	100	48	48	48
Ave Cap MW		126	125	125	125	125	127	127	127	127	127	126
Energy GWh	766.8	82.5	80.6	82.1	84.4	88.2	85.4	87.3	72.0	35.9	35.9	32.5
Sioux City												
Reach Inflow	1570	93	232	261	210	162	149	135	122	94	41	72
Depletion	281	5	18	53	129	80	11	-6	-4	-2	-1	-1
Reg Flow	18373	1944	2022	2058	1981	2077	2037	2066	1745	865	810	767
Reg Flow kcfs		32.7	32.9	34.6	32.2	33.8	34.2	33.6	29.3	14.1	13.2	13.8
Total												
Reach Inflow	19895	1999	3112	4959	2119	1189	1233	1356	1253	966	715	995
Depletion	1148	-79	449	1356	640	-62	-189	-226	-179	-213	-221	-129
Evap	1620	-31	-12	-55	112	318	399	350	300	212	15	10
Storage	*53971	54076	54707	56280	55712	54569	53599	52769	52280	52353	52458	52810
Ave Power MW		1102	1096	1178	1208	1279	1163	957	829	630	719	674
Ave Cap MW		2449	2459	2472	2473	2460	2449	2432	2398	2392	2409	2430
Energy GWh	7910.6	793.6	815.7	848.2	898.9	951.7	837.2	711.7	597.0	468.9	534.7	453.2
Daily GWh		26.5	26.3	28.3	29.0	30.7	27.9	23.0	19.9	15.1	17.2	16.2